

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3637049	(simultaneous\$2 or concurrent\$2 or (in adj parallel) or parallel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:28
L2	214297	(execut\$3 or run\$4) near3 (process\$2 or task\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:29
L3	16372	(field adj programmable adj gate adj array) or FPGA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:30
L4	13654	1 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:30
L5	9	4 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:31
L6	0	5 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:31
L7	0	5 and "712"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:31
L8	1	5 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:32
L9	62504	(non adj volatile) adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:22
L10	1237710	(processor\$1 or microprocessor\$1 or (micro adj processor\$1) or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:50

L11	5468402	(embedded or within or inside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:25
L12	35541	11 adj2 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:36
L13	150	12 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:44
L14	11	13 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:36
L15	3	("5761697" "6122704" "6330977").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:42
L16	7	("5586081" "5764945" "5860083" "6026465" "6091640" "6320782" "6385688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 11:43
L23	2	("4839640" "5758359").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:26
L24	9	("5504760" "5586073" "5592003" "5768191" "5822248" "5867428" "5905676" "5996108" "6134141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:27
L25	7	("5012163" "5623281" "5726718" "5880702" "6040876" "6052491" "6215913").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:29
L26	3	("5761697" "6122704" "6330977").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:31
L27	7	("5586081" "5764945" "5860083" "6026465" "6091640" "6320782" "6385688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:32
L28	5	("4751961" "5363904" "5561461" "5782296" "6577231").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:36
L29	15	("3946613" "4086488" "4476721" "4571995" "4577512" "4696189" "4757463" "5044770" "5089979" "5347476" "5354200" "5365462" "5375073" "5377128" "5686831").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 12:37

L30	16	("5826166").URPN.	USPAT	OR	OFF	2004/11/29 12:39
L32	1	("5822225").URPN.	USPAT	OR	OFF	2004/11/29 12:43
L33	8	12 adj2 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:46
L34	38	9 adj2 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:46
L35	813808	(processor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:50
L36	21740	11 adj2 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:53
L37	12	9 adj2 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:56
L38	71	9 with 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:56
L39	15	9 near2 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:56
L40	2618579	(autonomous\$2 or independent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:27
L41	288641	(initializ\$5 or startup or (start adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:47

L42	5033267	(program\$1 or code or function\$1 or routine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:29
L43	26953	41 near2 42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:29
L44	2	43 with 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:31
L45	0	44 and "771"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:32
L46	1041	40 near3 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:32
L47	0	46 with 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:33
L48	2	46 with 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:34
L49	0	46 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:34
L50	1043	memory adj2 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:40
L51	19	9 with 50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:40

L52	7	("5586081" "5764945" "5860083" "6026465" "6091640" "6320782" "6385688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 13:42
L53	285	(non adj volatile) adj register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:53
L54	4	11 adj2 53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:55
L55	5	53 near2 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:56
L56	23	("5041886" "5450363" "5515317" "5526364" "5537354" "5600605" "5615159" "5619461" "5666321" "5675540" "5677885" "5751039" "5787457" "5825782" "5933434" "5936903" "5995438" "6026465" "6028798" "6073204" "6097637" "6137133" "6141247").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 13:58
L57	729	9 with cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:14
L58	253	9 near2 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:15
L59	113	9 adj2 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:22
L60	54	9 adj cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:08

L61	86	57 with processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:14
L62	44	58 with processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:15
L63	5339697	(within or inside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:25
L64	17889	63 adj2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:27
L65	855	memory adj2 64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:27
L66	406	memory adj 64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:28
L67	10588	63 adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:27
L68	232	memory adj 67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:32
L69	7	9 adj 67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:28
L70	1	68 with 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:33

L71	8	("5371876" "5479639" "5530847" "5579522" "5692190" "6122732" "6128732" "6158000").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 14:32
L72	28	65 with 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:34
L73	62	BIOS adj 63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:42
L74	2	73 with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:42
L75	2630	(initializ\$5 or startup or (start adj up)) adj2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:48
L76	32	75 with self	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:53
L77	2878	initializ\$5 adj program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:54
L78	308	stor\$3 near2 77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:00
L79	2	78 with 67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:56
L80	2	78 with 64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:57

L81	2893	embedded adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:59
L82	0	81 with 78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:58
L83	0	81 same 78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:58
L84	21611	internal adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:59
L85	893	84 near2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:59
L86	0	85 with 77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:00
L87	3281	stor\$3 near2 BIOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:00
L88	0	85 with 87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:00
L89	0	85 same 87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:00
L90	1	85 same 77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:01

L93	1032	start\$3 adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:02
L94	9	93 with self	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:02
L95	10	("5408624" "5410703" "5500806" "5761530" "5771064" "5805880" "5841991" "5905896" "5922072" "5938766").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:05
L96	3	(self adj power\$2) adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:09
L97	1	("6128392").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:08
L98	386459	(initializ\$5 or startup or (start adj up) or boot\$3 or (boot\$3 adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:46
L99	15623	98 with (quick\$2 or immediat\$4 or fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:58
L100	0	99 with (without near3 ((non adj volatile) adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:48
L101	0	99 with ("without" near3 ((non adj volatile) adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:49
L102	282	enabl\$4 near3 (processor or microprocessor or cpu) near3 98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:57
L103	4	102 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:51

L104	17	("4787032" "4942606" "4959860" "4984213" "5128995" "5136713" "5226122" "5257377" "5295064" "5345424" "5388267" "5390324" "5410706" "5426775" "5452339" "5557777" "5764995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 15:53
L105	7065	98 adj2 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:58
L106	97	105 with (quick\$2 or immediat\$4 or fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:58
L107	1	106 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:01
L108	4	("5872967").URPN.	USPAT	OR	OFF	2004/11/29 15:59
L109	2826	(startup or (start adj up) or BIOS) near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:02
L110	707	109 with (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:02
L111	93	110 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:02
L112	20	111 with 98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:03
L113	382	(enab\$4 or allow\$3) near3 (processor or microprocessor or CPU) near3 (startup or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:08

L114	11	113 with (quick\$2 or immediat\$4 or fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:13
L115	631	BIOS near2 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:16
L116	26925	(within or incide) adj2 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:14
L117	2	115 with 116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:14
L118	248	BIOS near2 register\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:16
L119	0	118 with 116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:17
L120	946	(autonomous\$2 or independent\$2) near3 (starup or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:19
L121	35	120 near3 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:21
L122	2	(self adj boot\$3) near3 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:24
L123	0	120 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:24

L124	15274	(processor or microprocessor or CPU) near3 (satrup or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:35
L125	7	("5410706" "5596713" "5748940" "5872967" "5892943" "5918048" "6473856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 16:30
L126	196	124 with self	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:33
L127	37	126 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:34
L128	206	124 with (quick\$2 or immediat\$4 or fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:36
L129	1	128 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:35
L130	0	128 with (autonomous\$2 or independent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:40
L131	8992	(initializ\$5 or satrup or (start adj up)) adj2 (program or code or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:42
L133	164136	(stor\$3 or kept or located) near3 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:49
L134	117	131 with 133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:49

L135	5	134 with (within or inside)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:50
L136	2365058	(fast or instant\$2 or immediat\$4 or quick\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:52
L137	8083	136 near3 98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:53
L138	286	137 with (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:53
L139	20	(enabl\$3 or allow\$3) with 138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:54
L140	3023	internal near2 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:02
L141	1	140 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:02
L142	2778	(fast or quick) adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:08
L143	56952	(internal\$2 or inside or within) near2 (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:08
L144	64	142 with 143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:13

L145	0	144 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:09
L146	0	144 with (initializ\$5 or satrup or (start adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:10
L147	53164	((physically adj integrated) or integtared or included or within or inside) near2 (processor or microprocessor or cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:14
L148	3958	memory near2 147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:15
L149	58	148 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:15
L150	11	(non adj volatile) adj local adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:22
L151	20	("4752870" "5109484" "5146568" "5280627" "5331634" "5367688" "5404527" "5504903" "5603056" "5613123" "5652886" "5657448" "5668992" "5727207" "5790788" "5838907" "5980078" "6012088" "6012100" "6105122").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/29 17:23